


COURTS & EQUIPMENT VICTOR




STRINGING INSTRUCTIONS



Traditional 72-Hole Stringing Pattern

- A. The vertical string is pulled from the middle point of the top of the racket, and is pulled to the side.
- B. The vertical string goes through B9 and D9, and jumps to B12 and D12. It then passes through A11 and C11, and it enters A10 and C10. It passes through again in B10 and D10.
- C. The long end enters B12 and is pulled upward. After it passes through C9, it enters C7. It then passes through A8 and C8. Knot it at C6.
- D. The short end enters D11 and it is pulled downward. It passes through D8. Knot it at D7.


Remark : The upper 5 horizontal strings and bottom 4 horizontal strings have the same tension as the vertical string. Other horizontal strings have 2 more pounds added than the vertical string.



VICTOR 76-Hole Stringing Pattern

- A. The vertical string is pulled from the middle point of the top of the racket, and is pulled to the side.
- B. The vertical string goes through B9 and D9, and jumps to B12 and D12. It then passes through A15 and C15, and it enters A13 and C13. It passes through again in B10 and D10.
- C. The long end enters B12 and is pulled upward. After it passes through A12, it enters A8. It then passes through C10 and A10. Knot it at A5.
- D. The short end enters D11 and it is pulled downward. It passes through D8. Knot it at D6.

Remark : The upper 5 horizontal strings and bottom 4 horizontal strings have the same tension as the vertical string. Other horizontal strings have 2 more pounds added than the vertical string.



VICTOR 80-Hole Stringing Pattern

- A. The vertical string begins from the center part of the racket, and is pulled to two sides.
- B. The vertical string goes through B10 and D10, and jumps to B14 and D14. It then goes out at A15 and C15, and it enters A13 and C13. It goes out again in B12 and D12.
- C. The cross string enters B14 and is pulled upward. It goes out at A12, and enters A8. It then goes out at C10 and enters A10, and it is knotted at A5.
- D. The short end enters at D13 and it is pulled downward. It goes out at D8 and it is knotted at D6.

Remark : The top 5 horizontal strings and bottom 4 strings have the same tension as the vertical string and rest of the horizontal strings need to add 2 more pounds.



VE-80

VE-80

Revolutionary Badminton-Tennis Stringing Machine

- Easy switch between tennis and badminton
- Two-way color panel in multi-languages
- Safety shut-down device for built-in soldering iron
- Multi-functional separated storages
- Angle and height adjustable
- Interval tensioning for best string performance



VICTOR

 **VICTOR**

www.victorsport.com

STRINGING MACHINES



VE-80
Revolutionary Badminton-Tennis Stringing Machine

- **SPECIFICATION** 360 Degree, Upright
- **SIZE** 114.6 cm x 55.6 cm x 105.2~120.2 cm
- **VOLTAGE** 100 - 240 V
- **UTILITY FREQUENCY** 50 - 60 Hz
- **REMARK** Tool bag, string pliers, SM-307 stringing chair attached.
Made in Taiwan



Instinctive 25% time saved

The revolutionary VE-80 features a groundbreaking switch system between badminton rackets and tennis rackets. At the flip of a lever, the six point mounting device will automatically adjust into positions to meet different needs, with a blue-orange lighting change under the racket head to serve as a reminder what mode the user is in.



Integrated Built-in soldering iron

Soldering iron device installed within the module offers a more efficient operation. And safety has been the primary focus of VE-80 design team; when user goes back to stringing or the soldering iron is under use for over eight minutes, the auto-heating will be cut immediately.



Intelligent Touch-screen customized settings

The new two-way color control panel (traditional keyboard and touch screen panel) provides instinctive operation in five languages with nine customized memory settings in easy to read display.

STRINGING MACHINES



VE-50
Badminton-Tennis Stringing Machine

- **SPECIFICATION** 360 Degree, Upright
- **SIZE** 100 cm x 40 cm x 105~120 cm
- **VOLTAGE** 100 - 240 V
- **UTILITY FREQUENCY** 50 - 60 Hz
- **REMARK** Tool bag, string pliers attached.
Made in Taiwan



Improved 6-Point Mounting System

Smart 6-point racket mounting system.
Quick switch between badminton and tennis.
Patented string gripper preventing obstructions.
Dual-action swivel clamps.
360 degree turntable.



Smooth Tensioning Action

Electronically controlled.
Precise tension control from 11 ~ 80 lb.
Smooth action cam rollers.
Patented open-close clamp design.



Digital Control Panel

LED digital control panel.
All advanced functions with one finger.
Height adjustable.



Other Features

Large tool drawer.
Wide voltage, concealed wiring.
Modular components for easy maintainance.

STRINGING MACHINES



C-7032N

Electric Stringing Machine (Badminton Only)

- SPECIFICATION 360 Degree, Upright
- SIZE 95.4 cm x 44 cm x 103.5-118.5 cm
- VOLTAGE 100 - 240 V
- UTILITY FREQUENCY 50 - 60 Hz
- REMARK Tool bag, string pliers attached.
Made in Taiwan



Unique Electronic Tension Head and Brake System

An upgraded design with a patented electronic tension head device and a safe rotation brake to offer quick and accurate tensioning. The newly flattened power switch also prevents shut-down by accident.

Electronic Tension Head - Patent Number

TAIWAN#M325847 / JAPAN#3136637 / USA#US7.485.055B1
CHINA# ZL200720008035.5



Micro-Computer Control

The modular control panel maintains an electronically controlled, constant pull tensioning for enhanced precision at your fingertips.



New Mounting System

The easy and secure 6-point mounting system features highly maneuverable dual-action swivel clamps and 360 degree turnable rotation, as well as a new patented string gripper base design.

String Gripper Base Lever - Patent Number

TAIWAN#M469094

STRINGING MACHINES



VM-2000S

Badminton-Tennis Stringing Machine

- SPECIFICATION 360 Degree, Upright
- REMARK Tool bag, string pliers attached.
Tension control from 9 ~ 88 lb
Made in Taiwan



SM-305

Tool Box

- SIZE 32 cm x 23.5 cm x 5 cm
- REMARK Grommet grinder, pathfinder guiding awl, soldering iron, grommet pusher, cutter knife, string bed cutter, and bent nose pliers.
Made in Taiwan



SM-307

Stringing Chair

- SIZE 43.5 cm x 40 cm x 70.5-81 cm
- REMARK Made in Taiwan


COURTS & EQUIPMENT

BWF

C-7057

Mobile Plastic Court


- **SIZE** 15 m x 7.2 m (15 m x 1.8 m x 4 pcs)
- **THICKNESS** 5 mm ± 0.25 mm
- **WEIGHT** 240 kg
- **REMARK** Approved by the BWF for international play
Made in Taiwan



(1)Surface
Pure PVC surface, antiskid, anti-friction, comfortable, and suitable for badminton sports.



(2)Middle
Special draw-spinning process, 100% polyester fiber gray cloth, water absorption, prevent deformation.




(3)Bottom
High resilience pure PVC foaming layer.

BWF

C-7051


Mobile Plastic Court

- **SIZE** 15 m x 7.2 m (15 m x 1.8 m x 4 pcs)
- **THICKNESS** 3.75 mm ± 0.25 mm
- **WEIGHT** 320 kg
- **REMARK** Approved by the BWF for international play
Made in Taiwan



(1)Surface
Pure PVS surface, durable, smooth, anti-skid, easy to clean.

(2)Middle
Reinforced layer made of high-strength polyester fibre ensures the stability of the court, resistant to deformation.



(3)Bottom
High density PVC foam provides lasting resilience, absorbs shock, prevents slipping.

BWF

C-7004

Badminton Net

- **SIZE** 604 cm x 76 cm
- **WEIGHT** 600 g
- **REMARK** Approved by the BWF for international play



NEW

C-7066

Court Mat Tape

- **WIDTH** 75 mm
- **COLOR** Green
- **LENGTH** 25 m
- **REMARK** Made in Japan



COURTS & EQUIPMENT

CT-362

Manual Score Board

- **SIZE** 41.2 cm x 20.4 cm x 5 cm
- **REMARK** Made in Taiwan



NEW

C-7065

Double-Sided Court Tape

- **WIDTH** 80 mm
- **COLOR** White
- **LENGTH** 50 m
- **REMARK** 3M (Shanghai)



C-7061

Umpire Chair

- **SIZE** 95 cm x 80 cm x 153 cm
- **REMARK** Wheels attached.



BWF

C-7069

Mobile Badminton Post

- **SIZE (BASE)** 39 cm x 32 cm x 23 cm
- **POST** 155 cm
- **WEIGHT** 170 kg
- **REMARK** Approved by the BWF for international play
Extendible base (48 -65 cm).

